



ELSEVIER

Analytica Chimica Acta 483 (2003) 429–432

**ANALYTICA  
CHIMICA  
ACTA**

www.elsevier.com/locate/aca

## Author Index

- Andre, F., see Antignac, J.-P. 325  
Andre, F.V., see Maume, D. 289  
Anielski, P., see Thieme, D. 299  
Antignac, J.-P.  
—, Le Bizec, B., Monteau, F. and Andre, F.  
Validation of analytical methods based on mass spectrometric detection according to the "2002/657/EC" European decision: guideline and application 325  
Antignac, J.-P., see Maume, D. 289  
Assini, W., see Sangiorgi, E. 259  
Aznar, G., see Shishani, E. 137  
  
Baert, K., see De Baere, S. 215  
Ballerini, A., see Brambilla, G. 281  
Baltusnikiene, A., see Van Poucke, C. 99  
Beernaert, H., see Van Loco, J. 413  
Bibi, R., see Pecorelli, I. 81  
Bienenmann-Ploum, M., see Haasnoot, W. 171  
Blass, A., see Illera, J.C. 225, 233  
Blokland, M.H.  
—, Sterk, S.S., van Ginkel, L.A., Stephany, R.W. and Heck, A.J.R.  
Analysis for endogenous and recombinant porcine somatotropine in serum 201  
Bowers, J., see Traynor, I.M. 187  
Bozzoni, E., see Sangiorgi, E. 259  
Brambilla, G.  
—, Ballerini, A., Civitareale, C., Fiori, M., Neri, B., Cavallina, R., Nardoni, A. and Giannetti, L.  
Oxidative stress as a bio-marker of estrogen exposure in healthy veal calves 281  
Brouwer, L., see Nielen, M.W.F. 11  
  
Carrola, P., see Ramos, F. 207  
Casciarri, E., see Pecorelli, I. 81  
Cavallina, R., see Brambilla, G. 281  
Chai, S.C., see Shishani, E. 137  
Cherlet, M., see De Baere, S. 215  
Civitareale, C., see Brambilla, G. 281  
Conley, A.J., see Illera, J.C. 233  
Conneely, A.  
—, Nugent, A., O'Keeffe, M., Mulder, P.P.J., van Rhijn, J.A., Kovacsics, L., Fodor, A., McCracken, R.J. and Kennedy, D.G.  
Isolation of bound residues of nitrofurans from tissue by solid-phase extraction with determination by liquid chromatography with UV and tandem mass spectrometric detection 91  
Connolly, L., see Fodey, T.L. 193  
Corbin, J., see Illera, J.C. 233  
Cornelis, M., see De Wasch, K. 387  
Courtheyn, D., see De Wasch, K. 387  
Courtheyn, D., see Impens, S. 153, 269  
Cristino, A., see Ramos, F. 207  
Crooks, S.R.H.  
—, McCarney, B., Traynor, I.M., Thompson, C.S., Floyd, S. and Elliott, C.T.  
Detection of levamisole residues in bovine liver and milk by immunobiosensor 181  
Crooks, S.R.H., see Fodey, T.L. 193  
Crooks, S.R.H., see McCarney, B. 165  
Crooks, S.R.H., see Traynor, I.M. 187  
Croubels, S.  
—, De Baere, S. and De Backer, P.  
Practical approach for the stability testing of veterinary drugs in solutions and in biological matrices during storage 419  
Croubels, S., see De Baere, S. 215  
Curatolo, M., see Sangiorgi, E. 259  
  
Daeseleire, E., see Mortier, L. 27  
Daeseleire, E., see De Ruyck, H. 111  
De Ruyck, H.  
—, Daeseleire, E., De Ridder, H. and Van Renterghem, R.  
Liquid chromatographic-electrospray tandem mass spectrometric method for the determination of mebendazole and its hydrolysed and reduced metabolites in sheep muscle 111  
da Conceição Castilho, M., see Ramos, F. 207  
Danaher, M.  
—, O'Keeffe, M. and Glennon, J.D.  
Development and optimisation of a method for the extraction of benzimidazoles from animal liver using supercritical carbon dioxide 313  
De Backer, P., see Croubels, S. 419  
De Backer, P., see De Baere, S. 215  
De Baere, S.  
—, Cherlet, M., Croubels, S., Baert, K. and De Backer, P.  
Liquid chromatographic determination of levamisole in animal plasma: ultraviolet versus tandem mass spectrometric detection 215  
De Baere, S., see Croubels, S. 419  
De Brabander, H., see Impens, S. 153  
De Brabander, H.F., see De Wasch, K. 387  
De Brabander, H.F., see Impens, S. 269

- De Keyser, K., see Van Poucke, C. 99  
De Ridder, H., see De Ruyck, H. 111  
De Wasch, K., see Impens, S. 153  
De Wasch, K., see Impens, S. 269  
De Wasch, K.  
—, Van Hoof, N., Poelmans, S., Okerman, L., Courtheyn, D., Ermens, A., Cornelis, M. and De Brabander, H.F.  
Identification of "unknown analytes" in injection sites: a semi-quantitative interpretation 387  
Deceuninck, Y., see Maume, D. 289  
Degroodt, J.M., see Van Loco, J. 413  
Delahaut, P., see Fodey, T.L. 193  
Delahaut, P., see Mortier, L. 27  
Delahaut, Ph.  
—, Levaux, C., Eloy, P. and Dubois, M.  
Validation of a method for detecting and quantifying tranquilisers and a  $\beta$ -blocker in pig tissues by liquid chromatography-tandem mass spectrometry 335  
Donoghue, D.J., see Schneider, M.J. 39  
Dreher, R., see Pfaffl, M.W. 401  
Dubois, M., see Delahaut, Ph. 335  
Dusi, G., see Gamba, V. 69  
  
Elliott, C.T., see Crooks, S.R.H. 181  
Elliott, C.T., see Fodey, T.L. 193  
Elliott, C.T., see McCarney, B. 165  
Elliott, C.T., see Traynor, I.M. 187  
Eloy, P., see Delahaut, Ph. 335  
Eloy, T., see Ramos, F. 207  
Elskens, M., see Van Loco, J. 413  
Ermens, A., see De Wasch, K. 387  
Essers, M.L., see Nielen, M.W.F. 11  
  
Fernández Courel, H., see Vranic, M.L. 251  
Fernández Suárez, A., see Vranic, M.L. 251  
Fiori, M., see Brambilla, G. 281  
Floridi, A., see Pecorelli, I. 81  
Floridi, A.I., see Pecorelli, I. 81  
Floyd, S., see Crooks, S.R.H. 181  
Fodey, T.L.  
—, Connolly, L., Crooks, S.R.H., Delahaut, P. and Elliott, C.T.  
Production and characterisation of polyclonal antibodies to a range of nitroimidazoles 193  
Fodey, T.L., see McCarney, B. 165  
Fodor, A., see Conneely, A. 91  
  
Galarini, R., see Pecorelli, I. 81  
Gamba, V.  
— and Dusi, G.  
Liquid chromatography with fluorescence detection of amoxicillina and ampicillin in feeds using pre-column derivatization 69  
Gantverg, A.  
—, Shishani, I. and Hoffman, M.  
Determination of chloramphenicol in animal tissues and urine liquid chromatography-tandem mass spectrometry versus gas chromatography-mass spectrometry 125  
Giannetti, L., see Brambilla, G. 281  
Glennon, J.D., see Danaher, M. 313  
Glünder, G., see Hamscher, G. 19  
Gonzales, S.A., see Roybal, J.E. 147  
Gowik, P., see Uhlig, S. 351  
Grosse, J., see Thieme, D. 299  
Grunwald, L.  
— and Petz, M.  
Food processing effects on residues: penicillins in milk and yoghurt 73  
  
Haasnoot, W.  
—, Bienenmann-Ploum, M. and Kohen, F.  
Biosensor immunoassay for the detection of eight sulfonamides in chicken serum 171  
Hamscher, G.  
—, Priß, B., Hartung, J., Nogosse, M.I., Glünder, G. and Nau, H.  
Determination of propoxur residues in eggs by liquid chromatography-diode array detection after treatment of stocked housing facilities for the poultry red mite (*Dermanyssus gallinae*) 19  
Hanot, V., see Van Loco, J. 413  
Hartung, J., see Hamscher, G. 19  
Heck, A.J.R., see Blokland, M.H. 201  
Hoffman, M., see Gantverg, A. 125  
Hoffman, M.K., see Shishani, E. 137  
Hooijerink, H., see Nielen, M.W.F. 11  
Hooijerink, H.  
—, van Bennekom, E.O. and Nielen, M.W.F.  
Screening for gestagens in kidney fat using accelerated solvent extraction and liquid chromatography electrospray tandem mass spectrometry 51  
Huysmans, G., see Van Loco, J. 413  
  
Illera, J.C.  
—, Silván, G., Martínez-Mateos, M.M., Blass, A., Lorenzo, P.L. and Illera, M.  
Effect of long-term exposure to combinations of growth promoters in Long Evans rats. Part 1. Endocrine ovarian function 225  
Illera, J.C.  
—, Silván, G., Martínez-Mateos, M.M., Conley, A.J., Corbin, J., Blass, A., Lorenzo, P.L. and Illera, M.  
Effect of long-term exposure to combinations of growth promoters in Long Evans rats. Part 2: ovarian morphology 233  
Illera, M., see Illera, J.C. 225, 233  
Impens, S.  
—, Courtheyn, D., De Wasch, K. and De Brabander, H.F.  
Faster analysis of anabolic steroids in kidney fat by downscaling the sample size and using gas chromatography-tandem mass spectrometry 269  
Impens, S.  
—, Reybroeck, W., Vercammen, J., Courtheyn, D., Ooghe, S., De Wasch, K., Smedts, W. and De Brabander, H.  
Screening and confirmation of chloramphenicol in shrimp tissue using ELISA in combination with GC-MS<sup>2</sup> and LC-MS<sup>2</sup> 153

- Jamokha, S., see Shishani, E. 137
- Kennedy, D.G., see Conneely, A. 91
- Kijak, P.J., see Turnipseed, S.B. 373
- Knappstein, K., see Suhren, G. 363
- Knappstein, K.  
—, Suhren, G. and Walte, H.-G.  
Influence of milking frequency on withdrawal period after application of  $\beta$ -lactam antibiotic-based drugs 241
- Kohen, F., see Haasnoot, W. 171
- Kovacsics, L., see Conneely, A. 91
- Lasaroms, J.J.P., see Nielen, M.W.F. 11
- Le Bizec, B., see Antignac, J.-P. 325
- Le Bizec, B., see Maume, D. 289
- Levaux, C., see Delahaut, Ph. 335
- Lorenzo, P.L., see Illera, J.C. 225, 233
- Marangunich, L., see Vranic, M.L. 251
- Martin, S., see O'Keeffe, M.J. 341
- Martínez-Mateos, M.M., see Illera, J.C. 225, 233
- Maume, D.  
—, Le Bizec, B., Pouponneau, K., Deceuninck, Y., Solere, V., Paris, A., Antignac, J.-P. and Andre, F.  
Modification of 17 $\beta$ -estradiol metabolite profile in steer edible tissues after estradiol implant administration 289
- McCarney, B., see Crooks, S.R.H. 181
- McCarney, B.  
—, Traynor, I.M., Fodey, T.L., Crooks, S.R.H. and Elliott, C.T.  
Surface plasmon resonance biosensor screening of poultry liver and eggs for nicarbazin residues 165
- McCracken, R.J., see Conneely, A. 91
- McEvoy, J.D.G., see Van Poucke, C. 99
- Meyer, H.H.D., see Pfaffl, M.W. 401
- Monteau, F., see Antignac, J.-P. 325
- Mortier, L.  
—, Daeseleire, E. and Delahaut, P.  
Simultaneous detection of five coccidiostats in eggs by liquid chromatography–tandem mass spectrometry 27
- Mueller, R.K., see Thieme, D. 299
- Mulder, P.P.J., see Conneely, A. 91
- Nardoni, A., see Brambilla, G. 281
- Nau, H., see Hamscher, G. 19
- Neri, B., see Brambilla, G. 281
- Niedzielska, J., see Posnyak, A. 61, 307
- Nielen, M.W.F.  
—, Hooijerink, H., Essers, M.L., Lasaroms, J.J.P., van Bennekom, E.O. and Brouwer, L.  
Value of alternative sample matrices in residue analysis for stanzolol 11
- Nielen, M.W.F., see Hooijerink, H. 51
- Nogosseck, M.I., see Hamscher, G. 19
- Noronha da Silveira, M.I., see Ramos, F. 207
- Nugent, A., see Conneely, A. 91
- O'Keeffe, M., see Conneely, A. 91
- O'Keeffe, M., see Danaher, M. 313
- O'Keeffe, M.J.  
—, Martin, S. and Regan, L.  
Validation of a multiresidue liquid chromatography–tandem mass spectrometric method for the quantitation and confirmation of corticosteroid residues in urine, according to the proposed SANCO 1085 criteria for banned substances 341
- Okerman, L., see De Wasch, K. 387
- Ooghe, S., see Impens, S. 153
- Paris, A., see Maume, D. 289
- Pecorelli, I.  
—, Galarini, R., Bibi, R., Floridi, A., Casciarri, E. and Floridi, A.  
Simultaneous determination of 13 quinolones from feeds using accelerated solvent extraction and liquid chromatography 81
- Petz, M., see Grunwald, L. 73
- Pfaffl, M.W.  
—, Reck, B., Dreher, R. and Meyer, H.H.D.  
Production of clenbuterol, diethylstilbestrol and trenbolone mass standards in lyophilised bovine urine 401
- Pfenning, A.P., see Roybal, J.E. 147
- Pfenning, A.P., see Turnipseed, S.B. 373
- Poelmans, S., see De Wasch, K. 387
- Posnyak, A.  
—, Zmudzki, J. and Niedzielska, J.  
Screening procedures for clenbuterol residue determination in bovine urine and liver matrices using enzyme-linked immunosorbent assay and liquid chromatography 61  
Evaluation of sample preparation for control of chloramphenicol residues in porcine tissues by enzyme-linked immunosorbent assay and liquid chromatography 307
- Pouponneau, K., see Maume, D. 289
- Prieß, B., see Hamscher, G. 19
- Radeck, W., see Uhlig, S. 351
- Ramos, F.  
—, Cristino, A., Carrola, P., Eloy, T., Silva, J.M., da Conceição Castilho, M., and Noronha da Silveira, M.I.  
Clenbuterol food poisoning diagnosis by gas chromatography–mass spectrometric serum analysis 207
- Reck, B., see Pfaffl, M.W. 401
- Regan, L., see O'Keeffe, M.J. 341
- Reybroeck, W., see Impens, S. 153
- Roybal, J.E.  
—, Pfenning, A.P., Turnipseed, S.B. and Gonzales, S.A.  
Application of size-exclusion chromatography to the analysis of shrimp for sulfonamide residues 147
- Roybal, J.E., see Turnipseed, S.B. 373
- Sachs, H., see Thieme, D. 299
- Sangiorgi, E.  
—, Curatolo, M., Assini, W. and Bozzoni, E.  
Application of neutral loss mode in liquid chromatography–mass spectrometry for the determination of corticosteroids in bovine urine 259

- Schneider, M.J.  
— and Donoghue, D.J.  
Multiresidue determination of fluoroquinolone antibiotics in eggs using liquid chromatography–fluorescence–mass spectrometry 39
- Shishani, E.  
—, Chai, S.C., Jamokha, S., Aznar, G. and Hoffman, M.K.  
Determination of ractopamine in animal tissues by liquid chromatography fluorescence and liquid chromatography/tandem mass spectrometry 137
- Shishani, I., see Gantverg, A. 125
- Silva, J.M., see Ramos, F. 207
- Silván, G., see Illera, J.C. 225, 233
- Smedts, W., see Impens, S. 153
- Solere, V., see Maume, D. 289
- Stephany, R.W., see Blokland, M.H. 201
- Stephany, R.W., see Stolker, A.A.M. 1
- Sterk, S.S., see Blokland, M.H. 201
- Stolker, A.A.M.  
—, van Tricht, E.F., Zoontjes, P.W., van Ginkel, L.A. and Stephany, R.W.  
Rapid method for the determination of stanozolol in meat with supercritical fluid extraction and liquid chromatography–mass spectrometry 1
- Suhren, G.  
— and Knapstein, K.  
Detection of cefquinome in milk by liquid chromatography and screening methods 363
- Suhren, G., see Knapstein, K. 241
- Thieme, D.  
—, Anielski, P., Grosse, J., Sachs, H. and Mueller, R.K.  
Identification of anabolic steroids in serum, urine, sweat and hair. Comparison of metabolic patterns 299
- Thompson, C.S., see Crooks, S.R.H. 181
- Traynor, I.M.  
—, Crooks, S.R.H., Bowers, J. and Elliott, C.T.  
Detection of multi- $\beta$ -agonist residues in liver matrix by use of a surface plasma resonance biosensor 187
- Traynor, I.M., see Crooks, S.R.H. 181
- Traynor, I.M., see McCarney, B. 165
- Turnipseed, S.B.  
—, Roybal, J.E., Pfenning, A.P. and Kijak, P.J.  
Use of ion-trap liquid chromatography–mass spectrometry to screen and confirm drug residues in aquacultured products 373
- Turnipseed, S.B., see Roybal, J.E. 147
- Uhlig, S.  
—, Gowik, P. and Radeck, W.  
Performance of a matrix-comprehensive in-house validation study by means of an especially designed software 351
- van Bennekom, E.O., see Hooijerink, H. 51
- van Bennekom, E.O., see Nielen, M.W.F. 11
- van Ginkel, L.A., see Blokland, M.H. 201
- van Ginkel, L.A., see Stolker, A.A.M. 1
- Van Hoof, N., see De Wasch, K. 387
- Van Loco, J.  
—, Hanot, V., Huysmans, G., Elskens, M., Degroodt, J.M. and Beernaert, H.  
Estimation of the minimum detectable value for the determination of PCBs in fatty food samples by GC–ECD: a curvilinear calibration case 413
- Van Peteghem, C., see Van Poucke, C. 99
- Van Poucke, C.  
—, De Keyser, K., Baltusnikiene, A., McEvoy, J.D.G. and Van Peteghem, C.  
Liquid chromatographic–tandem mass spectrometric detection of banned antibacterial growth promoters in animal feed 99
- van Rhijn, J.A., see Conneely, A. 91
- van Tricht, E.F., see Stolker, A.A.M. 1
- Van Renterghem, R., see De Ruyck, H. 111
- Vercammen, J., see Impens, S. 153
- Vranic, M.L.  
—, Marangunic, L., Fernández Courel, H. and Fernández Suárez, A.  
Estimation of the withdrawal period for veterinary drugs used in food producing animals 251
- Walte, H.-G., see Knapstein, K. 241
- Zmudzki, J., see Posyniak, A. 61, 307
- Zoontjes, P.W., see Stolker, A.A.M. 1

